

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Abronia villosa var. aurita</i>	chaparral sand-verbena	VASC	Nyctaginaceae			BLMS	1B.1		G5T3T4	S2.1		No	19-Aug-09								S				K				
<i>Acanthomintha ilicifolia</i>	San Diego thornmint	VASC	Lamiaceae	FT	SE		1B.1		G2	S2		No	13-Sep-12												K				
<i>Allium munzii</i>	Munz's onion	VASC	Alliaceae	FE	ST		1B.1		G1	S1		No	13-Sep-12												S				
<i>Ambrosia pumila</i>	San Diego ambrosia	VASC	Asteraceae	FE			1B.1		G1	S1		No	13-Sep-12												S				
<i>Arctostaphylos otayensis</i>	Otay manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2.1		No													K				
<i>Astragalus brauntonii</i>	Braunton's milk-vetch	VASC	Fabaceae	FE			1B.1		G2	S2		Yes	13-Sep-12												S				
<i>Astragalus deanei</i>	Deane's milk-vetch	VASC	Fabaceae			BLMS	1B.1		G2	S2.1		No													K				
<i>Astragalus douglasii var. perstrictus</i>	Jacumba milk-vetch	VASC	Fabaceae			BLMS	1B.2		G5T2	S2.2		No													K				
<i>Astragalus lentiginosus var. coachellae</i>	Coachella Valley milk-vetch	VASC	Fabaceae	FE			1B.2		G5T2	S2		No	13-Sep-12												K				
<i>Astragalus oocarpus</i>	San Diego rattleweed	VASC	Fabaceae			BLMS	1B.2		G2	S2.2		No													K				
<i>Astragalus tricarinatus</i>	triple-ribbed milkvetch	VASC	Fabaceae	FE			1B.2		G1	S1		No	13-Sep-12												K				
<i>Atriplex coronata var. notatior</i>	San Jacinto Valley crownscale	VASC	Chenopodiaceae	FE			1B.1		G4T1	S1		No	26-Aug-09	This plant has been considered K for many years but review of CNDDDB on 8-26-09 shows no occurrences on BLM lands.											S				
<i>Baccharis vanessae</i>	Encinitas coyotebrush	VASC	Asteraceae	FT	SE		1B.1		G1	S1		No	13-Sep-12												K				
<i>Berberis nevinii</i>	Nevin's barberry	VASC	Berberidaceae	FE	SE		1B.1		G2	S1		No	13-Sep-12	Formerly <i>Mahonia nevinii</i> (Gray) Fedde											K				
<i>Bloomeria clevelandii</i>	San Diego goldenstar	VASC	Themidaceae			BLMS	1B.1		G2	S2		No	15-Nov-10	Formerly <i>Muilla clevelandii</i> (S. Watson) Hoover. See discussion at: http://www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=121293											S				

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Brodiaea filifolia</i>	thread-leaved brodiaea	VASC	Themidaceae	FT	SE		1B.1		G1	S1		No	13-Sep-12											S					
<i>Brodiaea orcuttii</i>	Orcutt's brodiaea	VASC	Themidaceae			BLMS	1B.1		G1	S1		No	13-Sep-12											K					
<i>Calochortus dunnii</i>	Dunn's mariposa	VASC	Liliaceae		SR	BLMS	1B.2		G2	S2.1		No												K					
<i>Castilleja gleasoni</i>	Mt. Gleason Indian paintbrush	VASC	Orobanchaceae		SR	BLMS	1B.2		G2Q	S2.2		No	03-Oct-11	Name change from Castilleja gleasonii to Castilleja gleasoni as of March 3, 2011.										S					
<i>Ceanothus cyaneus</i>	Lakeside ceanothus	VASC	Rhamnaceae			BLMS	1B.2		G2	S2.2		No												K					
<i>Chamaesyce platysperma</i>	flat-seeded spurge	VASC	Euphorbiaceae			BLMS	1B.2		G3	S1.2?		No		Formerly <i>Euphorbia platyspermum</i> .							S			S					
<i>Chorizanthe orcuttiana</i>	Orcutt spineflower	VASC	Polygonaceae	FE	SE		1B.1		G1	S1		No	13-Sep-12											S					
<i>Chorizanthe parryi</i> var. <i>parryi</i>	Parry's spineflower	VASC	Polygonaceae			BLMS	1B.1		G3T2	S2		No	15-Nov-10	Occurrences 74 and 79 in CNDDDB definitely on BLM lands; Occurrence 43 may be on BLM lands.										K					
<i>Chorizanthe polygonoides</i> var. <i>longispina</i>	long-spined spineflower	VASC	Polygonaceae			BLMS	1B.2		G5T3	S3		No	18-Sep-12	Specific CNDDDB occurrences on BLM lands in Palm Springs, nonspecific CNDDDB occurrence number 133 in El Centro includes BLM lands slated for renewable energy within the 1 mile radius mapped circle.						S				K					
<i>Chorizanthe xanti</i> var. <i>leucotheca</i>	white-bracted spineflower	VASC	Polygonaceae			BLMS	1B.2		G4T2	S2		No	12-Oct-11	CNDDDB occurrence 4 and 24 border BLM lands. Non-specific CNDDDB occurrences 2, 5, 6, 11, and 25 are located on BLM parcels.										S					
<i>Cryptantha ganderi</i>	Gander's cryptantha	VASC	Boraginaceae			BLMS	1B.1		G1G2	S1		No	13-Sep-12											S					
<i>Cylindropuntia munzii</i>	Munz cholla	VASC	Cactaceae			BLMS	1B.3		G3	S1.2		No	15-Nov-10	Formerly <i>Opuntia munzii</i> C.B. Wolf.							K			K					
<i>Deinandra conjugens</i>	Otay tarplant	VASC	Asteraceae	FT	SE		1B.1		G1	S1		Yes	13-Sep-12	Formerly <i>Hemizonia conjugens</i> Keck. Review of CNDDDB does not show any occurrences on BLM land, though some are close.										S					
<i>Deinandra floribunda</i>	Tecate tarplant	VASC	Asteraceae			BLMS	1B.2		G3	S2.2		No	15-Nov-10	Formerly <i>Hemizonia floribunda</i> A. Gray.										K					
<i>Deinandra minthornii</i>	Santa Suzana tarplant	VASC	Asteraceae		SR	BLMS	1B.2		G2	S2.2		No	15-Nov-10	Formerly <i>Hemizonia minthornii</i> Jeps.										S					

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Delphinium hesperium subsp. cuyamaceae</i>	Cuyamaca larkspur	VASC	Ranunculaceae		SR	BLMS	1B.2		G4T2	S2.1		No												S					
<i>Dithyrea maritima</i>	beach spectaclepod	VASC	Brassicaceae		ST	BLMS	1B.1		G2	S2.1		No					S							S					
<i>Dodecahema leptoceras</i>	slender-horned spineflower	VASC	Polygonaceae	FE	SE		1B.1		G1	S1		No		Formerly <i>Centrostegia leptoceras</i> Gray.										K					
<i>Dudleya cymosa subsp. marcescens</i>	marcescent dudleya	VASC	Crassulaceae	FT	SR		1B.2		G5T2	S2		Yes	13-Sep-12											S					
<i>Dudleya multicaulis</i>	many-stemmed dudleya	VASC	Crassulaceae			BLMS	1B.2		G2	S2		No												K					
<i>Dudleya variegata</i>	variegated dudleya	VASC	Crassulaceae			BLMS	1B.2		G2	S2.2		No												K					
<i>Eriastrum densifolium subsp. sanctorum</i>	Santa Ana River woollystar	VASC	Polemoniaceae	FE	SE		1B.1		G4T1	S1		No	13-Sep-12											K					
<i>Eriastrum harwoodii</i>	Harwood's eriastrum	VASC	Polemoniaceae			BLMS	1B.2		G2	S2		No	08-Dec-10	CNDDDB maps at least 3 occurrences on BLM lands in the Needles FO. Several new occurrences added in 2009 and 2010 as a result of solar power plant surveys and CNPS Rare Plant Treasure Hunt.									K	K					
<i>Ericameria palmeri var. palmeri</i>	Palmer's goldernbush	VASC	Asteraceae			BLMS	1B.1		G4T2T3	S1		No	15-Nov-10	Moved from CNPS list 2.2 to 1B.1 on 8/12/09. CNDDDB Occurrence 2, non-specific 1 mile radius circle includes BLM lands within it.										S					
<i>Erigeron parishii</i>	Parish's daisy	VASC	Asteraceae	FT			1B.1		G2	S2		No	13-Sep-12	A draft Recovery Plan was issued in 1997 but as of 09/2012 was not final. Some of the recovery actions in the draft plan have been started and partially implemented.				K						K					
<i>Fremontodendron mexicanum</i>	Mexican flannelbush	VASC	Malvaceae	FE	SR		1B.1		G1	S1		No	13-Sep-12								K			K					
<i>Galium californicum subsp. primum</i>	Alvin Meadow bedstraw	VASC	Rubiaceae			BLMS	1B.2		G5T1Q	S1		No	13-Sep-12											S					
<i>Galium grande</i>	San Gabriel bedstraw	VASC	Rubiaceae			BLMS	1B.2		G2	S2.2		No												S					
<i>Hazardia orcuttii</i>	Orcutt's Hazardia	VASC	Asteraceae	FC	ST	BLMS	1B.1		G1	S1		No												S					

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Hesperocyparis forbesii</i>	Tecate cypress	VASC	Cupressaceae			BLMS	1B.1		G2	S1.1		No	15-Nov-10	Formerly in <i>Cupressus</i> . Then moved to <i>Callitropsis forbesii</i> by Little (2006) Syst. Bot. 31(3):461-480. The Jepson Manual second edition uses the name above in accordance with Adams et al. 2009 Phytologia 91: 160-185.											K				
<i>Heuchera brevistaminea</i>	Laguna Mountains alumroot	VASC	Saxifragaceae			BLMS	1B.3		G2	S2.3		No	12-Oct-11	CNDDDB occurrence 5 is located on BLM lands.											K				
<i>Lepechinia ganderi</i>	Gander's pitcher-sage	VASC	Lamiaceae			BLMS	1B.3		G2	S2.2		No													K				
<i>Lepidium flavum var. felipense</i>	Borrego Valley pepper-grass	VASC	Brassicaceae			BLMS	1B.2		G5T1	S1.2		No	16-Nov-10	This var. not recognized by the Jepson Manual 2nd edition or by Flora North America.											S				
<i>Lepidium virginicum var. robinsonii</i>	Robinson's pepper-grass	VASC	Brassicaceae			BLMS	1B.2		G5T3	S3		No	13-Sep-12	Nonspecific CNDDDB occurrences within BLM lands.											S				
<i>Limnanthes alba subsp. parishii</i>	Cuyamaca meadowfoam	VASC	Limnanthaceae		SE	BLMS	1B.2		G3T2T3	S2S3		No	13-Sep-12	Formerly <i>L. gracilis</i> J.T.Howell subsp. <i>parishii</i> (Jeps.) C. Mason											S				
<i>Linanthus maculatus</i>	Little San Bernardino Mtns. linanthus	VASC	Polemoniaceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Formerly <i>Gilia maculata</i> Parrish.				K							K				
<i>Linanthus orcuttii</i>	Orcutt's linanthus	VASC	Polemoniaceae			BLMS	1B.3		G4	S2		No	13-Sep-12												S				
<i>Lupinus excubitus var. medius</i>	Mountain Springs bush lupine	VASC	Fabaceae			BLMS	1B.3		G4T2T3	S2		No									K				K				
<i>Monardella robisonii</i>	Robison monardella	VASC	Lamiaceae			BLMS	1B.3		G3	S3		No	13-Sep-12					K						K	S				

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH										
<i>Monardella stoneana</i>	Jennifer's monardella	VASC	Lamiaceae			BLMS	1B.2		G1	S1.2		No	07-Jul-12	CNDDDB maps this species on BLM lands in the Otay Mt. Area. This species was formerly ascribed to <i>M. linoides</i> var. <i>viminea</i> , until the treatment by Elvin and Sanders in 2003, which elevated the northern occurrences of <i>M. l.</i> var. <i>viminea</i> to <i>M. viminea</i> and included the southern occurrences in the new species <i>M. stoneana</i> . Despite the 2003 treatment, the U.S. Fish and Wildlife Service (FWS) continued to consider this species to be a federally endangered species because the agency did not recognize the 2003 treatment and continued to recognize the taxon it originally listed, <i>M. linoides</i> var. <i>viminea</i> , sensu lato, to include the new species, <i>M. stoneana</i> . By a rulemaking published in the Federal Register on March 6, 2012, FWS officially recognized the two new species, <i>M. stoneana</i> and <i>M. viminea</i> , and determined that <i>M. stoneana</i> does not warrant listing as endangered or threatened. Consequently, <i>M. stoneana</i> is no longer an endangered species. <i>M. viminea</i> is an endangered species, but is restricted to Miramar Marine Air Station and vicinity and does not occur on BLM lands.																									
<i>Nolina interrata</i>	Dehesa nolina, bear grass	VASC	Ruscaceae		SE	BLMS	1B.1		G2	S2		No	13-Sep-12												S														
<i>Orcuttia californica</i>	California orcutt grass	VASC	Poaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12												S														
<i>Packera ganderi</i>	Gander's butterweed	VASC	Asteraceae		SR	BLMS	1B.2		G2	S2.2		No	18-Nov-10	Formerly <i>Senecio ganderi</i> T.M. Barkley & R.M. Beauch. Known on Potrero Mt. (Potrero Peak in spring 2007).											K														

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Pogogyne nudiuscula</i>	Otay mesa mint	VASC	Lamiaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12											S					
<i>Ribes canthariforme</i>	Moreno currant, San Diego currant	VASC	Grossulariaceae			BLMS	1B.3		G1	S1.3		No	16-Nov-10											S					
<i>Saltugilia latimeri</i>	Latimer's woodland-gilia	VASC	Polemoniaceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10	Known to occur on public lands along or near currently designated OHV routes in the Old Dad Mountains south of the west end of the Mojave National Preserve acc. Jim Weigand.									K	K		K			
<i>Salvia greatae</i>	Orocopia sage	VASC	Lamiaceae			BLMS	1B.3		G2	S2		No	13-Sep-12	CNDDDB Occurrence # 11 is from the south edge of the Trilobite Wilderness near Amboy, far from the core of its range in southern Riverside County. The occurrence (shown on BLM lands) is unvouchered and was listed as Salvia cf. funerea by Spaulding and Twitchell in 1978. CNDDDB decided it must be S. greatae. Kam Barrows looked at the occurrence in 1986 and found no plants.								S	K						
<i>Sidalcea hickmanii subsp. parishii</i>	Parish's checkerbloom	VASC	Malvaceae		SR	BLMS	1B.2		G3T1	S1.2		No		This species used to be a Federal candidate but was removed from the candidate list in 2006.										S					
<i>Streptanthus campestris</i>	southern jewel-flower	VASC	Brassicaceae			BLMS	1B.3		G2	S2.3		No	18-Sep-12	Nonspecific CNDDDB Occurrence 8, in the El Centro FO, is on lands slated for renewable energy; there are BLM lands within the mapped 1 mile radius circle, but there are also private lands. Occurrence 1, in the Palm Springs FO, contains BLM lands within the mapped 1 mile radius circle, but most of the lands within the circle are private.						S				S					
<i>Symphyotrichum defoliatum</i>	San Bernardino aster	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Newly accepted name for <i>Aster bernardinus</i> H.M. Hall. CNDDDB maps nonspecific location close to BLM lands on Mt. Laguna.						S				S		S			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Tetracoccus dioicus</i>	Parry's tetracoccus	VASC	Euphorbiaceae			BLMS	1B.2		G3	S2.2		No												K					
<i>Xylorhiza cognata</i>	Mecca-aster	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10	Occurs on BLM lands along or near OHV routes and trails in the Meccacopia Special Recreation Area acc. Jim Weigand.										K					

Type of Plant: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Federal Status: FE = Federally Endangered; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more Information is needed; 4 = Plants of limited distribution – a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. Comments: Additional information, only provided for some plants. Date Updated: This field is provided to show when changes or updates were last made to an element; this tracking was implemented only in recent years, so the field is blank for most elements. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.